


1/13

FIG. 1



2/13

FIG. 2

SOURCE PORT NUMBER			DESTINATION PORT NUMBER		
SEQUENCE NUMBER					
ACKNOWLEDGEMENT NUMBER					
DATA OFFSET	RESERVE	CONTROL FLAG	WINDOW		
CHECKSUM			EMERGENCY POINTER		
OPTION				PADDING	

FIG. 3

TRANSMITTED DATA SEGMENT										
ACKNOWLEDGEMENT RECEIVED			ACKNOWLEDGEMENT NOT RECEIVED							
500	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500
			CONGESTION WINDOW							

send_una 2000
 snd_max 3000
 snd_nxt 3500
 snd_cwnd 6MSS
 snd_wnd 100MSS
 sstresh 65535Bytes

FIG. 4





FIG. 7

TRANSMITTED DATA SEGMENT											
ACKNOWLEDGEMENT NOT RECEIVED											
500	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500	
CONGESTION WINDOW											

send_una 500
snd_max 2000
snd_nxt 2500
snd_cwnd 4MSS
snd_wnd 100MSS
sstresh 65535Bytes


4/13

FIG. 5




5/13

FIG. 6




6/13

FIG. 8




7/13

FIG. 9




8/13

FIG. 10




9/13

FIG. 11




10/13

FIG. 12




11/13

FIG. 13



12/13

FIG. 14



13/13

FIG. 15

